

SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Fellowes UK Yorkshire Way, West Moor Park Doncaster, South Yorkshire DN3 3FB

Telephone: + 44 (0) 1302 836800 Fax: + 44 (0) 1302 836899

Product Name: HFC Free Air Duster (99748, 99749, 99777, 99778)

Description: Cleaning Air Duster

SECTION 2: HAZARD IDENTIFICATION

Inhalation: Intentional misuse by concentrating and inhaling the vapours may be harmful or fatal.

Eyes: Liquid may cause severe eye irritation.

Skin: May cause slight irritation at contact point and frost-bite-like symptoms.

Ingestion: Slight throat irritation may occur.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name: | CAS No. | EINECS No. | Maximum Weight: |
|--------------------------|----------|------------|-----------------|
| Butane (<0.1% butadiene) | 106-97-8 | 203-448-7 | 55 – 70% |
| Propane | 74-98-6 | 200-827-9 | 30 – 45% |

SECTION 4: FIRST AID MEASURES

Inhalation: Move to fresh air. Seek medical advice if not feeling well. If breathing has stopped, begin artificial respiration. Obtain

medical attention without delay.

Eyes: In case of cold burns involving the eye, obtain medical attention without delay.

Skin: If cold burns, obtain medical advice. Cover with sterile dressings only. Do not apply ointments or powders.

Ingestion: Not applicable

SECTION 5: FIREFIGHTING MEASURES

Flash Point: < 0oC

Flammability Limits in Air by volume: Lower: Unknown Upper: Unknown

Extinguishing Media: Carbon dioxide, powder, spray

Special Firefighting Do not use full jet of water. Keep containers cool by spraying with water. Vapours may form explosive mixtures.

Measures: Measures: with air. Use self-contained breathing equipment.

Unusual Hazards: Heating will cause pressure rise with risk of bursting.



SECTION 6: ACCIDENTAL RELEASE MEASURES

Avoid contact with skin and eyes.

Eliminate sources of ignition.

Ensure good ventilation.

If ventilation is insufficient, wear suitable respiratory equipment.

Environmental precautions: Evacuate area. Stop flow. Eliminate all sources of ignition.

SECTION 7: HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Keep away from heat and flame.

Storage: Protect from sunlight and do not expose to temperatures exceeding 50oC.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes and Face: Avoid contact with eyes

Clothing: No special clothing necessary

Respiratory: Use in well ventilated area. Do not inhale spray particles

Ventilation: Use in well ventilated area

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not applicable
Evaporation Rate: Not determined
Specific Gravity: Not determined
Solubility in Water: Miscible

Appearance/Odor: Clear gas, distinct odor

SECTION 10: STABILITY AND REACTIVITY

Stable: Stable, no dangerous reactions at efficient use.

Conditions to Avoid: Protect from sunlight and do not expose to temperatures exceeding

 $50^{\circ}\text{C}.$ Keep away from heat and sources of ignition. Storage in a dry well ventilated place.

Chemical Incompatibility: May react with strong oxidizing agents.

Hazardous Decomposition: Stable, no dangerous reactions at efficient use.

Hazardous Polymerization: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Information published in the literature shows a very low order of toxicity.



Exposures to very high concentrations have an anaesthetic effect.

SECTION 12: ECOLOGICAL INFORMATION

- 12.1. Ecotoxicity: Butane/Propane: Low acute toxicity for mammals. Slightly toxic, CL50/CE50 > 10-100 mg/l to aquatic organisms estimated.
- 12.2. Mobility: Butane/Propane: Evaporates extremely rapidly from water or soil surface. Disperse rapidly in air.
- 12.3. Persistence en degradability: Butane/Propane: Oxidises quickly by photochemical reactions in air.
- 12.4. Bioaccumulatice potential: Butane/Propane: Does not bioaccumulate.

12.5. Other adverse effects: No.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods: Dispose in accordance with local and state regulations.

Additional Information: No additional information

SECTION 14: TRANSPORT INFORMATION

DOT: ORM-D Consumer Commodity

IATA: UN1950, AEROSOLS, FLAMMABLE, 2.1

IMO: UN1950, AEROSOLS, FLAMMABLE, 2ADR 5F, Class 2.1, EmS F-D, S-U

Other relevant data: Extremely flammable

SECTION 15: REGULATORY INFORMATION

Label according to the Directives relating to the classification, packaging and labelling of dangerous substances and preparations :



Extremely flammable



Mandatory Safety Phrases

Recommended Safety Phrases:

SECTION 16: OTHER INFORMATION

Risk phrases:

Page 3 of 4



R12: Extremely flammable.

Safety phrases:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

S2: Keep out of the reach of children.

S16: Keep away from sources of ignition. No smoking.

S23 : Do not breathe spray.

S46: If swallowed, seek medical advice immediately and show this container or label.

S51: Use only in well-ventilated areas.

Further information: **Instructions of use:** Store and use at room temperature. Disconnect electrical equipment until the spray has evaporated. Do not shake can during use. Spray in short bursts on the surface to be treated.

The information contained in this Material Safety Data Sheet is believed to be correct and accurate and can be used as a guide.